

Appl. No. 09/867,868
Amdt. dated October 13, 2003
Preliminary Amendment

PATENT

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

1. (Original) A method for loading content objects in a content store on a network, the method comprising steps of:

waiting for a triggering event;

determining if a first origin server is authorized to store content in the content store;

loading a first content object from the first origin server onto the content store without a request for the first content object;

determining if a second origin server is authorized to store content in the content store; and

loading a second content object from the second origin server onto the content store without a request for the second content object.

2. (Original) The method for loading content objects in the content store on the network as recited in claim 1, further comprising a step of determining the popularity of the content object.

3. (Original) The method for loading content objects in the content store on the network as recited in claim 1, wherein the performance of the loading steps are conditioned on the waiting step.

4. (Currently Amended) The method for loading content objects in the content store on the network as recited in claim 1, wherein the waiting step comprises at least one of the following steps of waiting for:

Appl. No. 09/867,868
Amdt. dated October 13, 2003
Preliminary Amendment

PATENT

upstream bandwidth between the first origin server and the content store to fall below a predetermined threshold; and

upstream bandwidth between the second origin server and the content store to fall below a the predetermined threshold.

5. (Original) The method for loading content objects in the content store on the network as recited in claim 1, wherein the waiting step comprises a step of waiting for upstream bandwidth into the content store to fall below a predetermined threshold.

6. (Original) The method for loading content objects in the content store on the network as recited in claim 1, wherein the waiting step comprises a step of waiting for connection to the network.

7. (Original) The method for loading content objects in the content store on the network as recited in claim 1, wherein the waiting step comprises a step of waiting for upstream bandwidth utilization from a client computer to the content store to fall below a predetermined threshold.

8. (Original) The method for loading content objects in the content store on the network as recited in claim 1, wherein the waiting step comprises a step of waiting for a temporal event.

9. (Original) A method for loading content objects in a content store on a network, the method comprising steps of:

waiting for a triggering event;

determining the popularity of the content object;

loading a first content object from the first origin server onto the content store without a request for the first content object; and

Appl. No. 09/867,868
Amdt. dated October 13, 2003
Preliminary Amendment

PATENT

loading a second content object from the second origin server onto the content store without a request for the second content object.

10. (Currently Amended) The method for loading content objects in the content store on the network as recited in claim 1 2, wherein the performance of the loading steps are conditioned on the waiting step.

11. (Currently Amended) The method for loading content objects in the content store on the network as recited in claim 1 2, further comprising steps of:

determining if a first origin server is authorized to store content in the content store; and

determining if a second origin server is authorized to store content in the content store.

12. (Currently Amended) The method for loading content objects in the content store on the network as recited in claim 1 2, wherein the waiting step comprises at least one of the following steps of waiting for:

upstream bandwidth between the first origin server and the content store to fall below a predetermined threshold; and

upstream bandwidth between the second origin server and the content store to fall below a the predetermined threshold.

13. (Currently Amended) The method for loading content objects in the content store on the network as recited in claim 1 2, wherein the waiting step comprises a step of waiting for upstream bandwidth into the content store to fall below a predetermined threshold.

14. (Currently Amended) The method for loading content objects in the content store on the network as recited in claim 1 2, wherein the waiting step comprises a step of waiting for connection to the network.

Appl. No. 09/867,868
Amdt. dated October 13, 2003
Preliminary Amendment

PATENT

15. (Currently Amended) The method for loading content objects in the content store on the network as recited in claim 4, wherein the waiting step comprises a step of waiting for upstream bandwidth utilization from a client computer to the content store to fall below a predetermined threshold.

16. (Currently Amended) The method for loading content objects in the content store on the network as recited in claim 4, wherein the waiting step comprises a step of waiting for a temporal event.

17. (Original) A method for loading content objects in a content store on a network, the method comprising steps of:

waiting for a triggering event;

loading a first plurality of content objects from the first origin server onto the content store without a request for any of the first plurality of content objects; and

loading a second plurality of content objects from the second origin server onto the content store without a request for the second plurality of content objects, wherein the performance of the loading steps are conditioned on the waiting step.

18. (Currently Amended) The method for loading content objects in the content store on the network as recited in claim 17, further comprising a step of determining the popularity of the content object.

19. (Currently Amended) The method for loading content objects in the content store on the network as recited in claim 17, further comprising steps of:

determining if a first origin server is authorized to store content in the content store; and

determining if a second origin server is authorized to store content in the content store.

Appl. No. 09/867,868
Amdt. dated October 13, 2003
Preliminary Amendment

PATENT

20. (Currently Amended) The method for loading content objects in the content store on the network as recited in claim 17, wherein the waiting step comprises at least one of the following steps of waiting for:

upstream bandwidth between the first origin server and the content store to fall below a predetermined threshold; and

upstream bandwidth between the second origin server and the content store to fall below a the predetermined threshold.

A
21. (Currently Amended) The method for loading content objects in the content store on the network as recited in claim 17, wherein the waiting step comprises a step of waiting for upstream bandwidth into the content store to fall below a predetermined threshold.

22. (Currently Amended) The method for loading content objects in the content store on the network as recited in claim 17, wherein the waiting step comprises a step of waiting for connection to the network.

23. (Currently Amended) The method for loading content objects in the content store on the network as recited in claim 17, wherein the waiting step comprises a step of waiting for upstream bandwidth utilization from a client computer to the content store to fall below a predetermined threshold.

24. (Currently Amended) The method for loading content objects in the content store on the network as recited in claim 17, wherein the waiting step comprises a step of waiting for a temporal event.
